UTILITY **PATENT APPLICATION TRANSMITTAL**

Attorney Docket No. First Inventor

| (Only for new nonprovision | onal applications under 37 CFR 1.53(b)) | Expres | <u>s Mail Label No</u> | | | | | |
|--|---|--|---|----------------------------|-----------------------|-------------------|--|--|
| | ATION ELEMENTS | ADI | ADDRESS TO: Assistant Commissioner for Patents Box Patent Application | | | | | |
| See MPEP chapter 600 cor | ncerning utility patent application contents. | | | Washingt | ton, DC 2 | .0231 | | |
| 1. Fee Transmittal (Submit an original and Applicant claims See 37 CFR 1.27) 3. Specification (preferred arrangeme - Descriptive title - Cross Reference to so or a computer - Background or Brief Summan - Brief Descriptic - Detailed Description - Abstract of the Signed standard in 1.63(d)(2) 5. Oath or Declaration and Newly execution of the Signed Standard in 1.63(d)(2) 6. Application Data Shopping Continuation Description Information For CONTINUATION OR DIVISION Standard and part of Continuation Description Information Description Descriptio | Form (e.g., PTO/SB/17) a duplicate for fee processing) small entity status. 7. [Total Pages] ent set forth below) e of the invention ce to Related Applications garding Fed sponsored R & D equence listing, a table, program listing appendix f the Invention on of the Drawings (if filed) inpition e Disclosure J.S.C. 113) [Total Sheets] [Total Pages] [Total Pages] [Total Pages] [Total Pages] [Ton OF INVENTOR(S) attended (original or copy) a prior application (37 CFR 1.63 (d)) attion/divisional with Box 17 completed) FION OF INVENTOR(S) attended tatached deleting inventor(s) the prior application, see 37 CFR and 1.33(b). a Sheet. See 37 CFR 1.76 ICATION, check appropriate box, and supplied under 37 CFR 1.76: Divisional Continuation-in-part (CIP) Examiner ONAL APPS only: The entire disclosure of the fithe disclosure of the fithe disclosure of the secondary ing continuation. | (if a. b. b. c. grior application or division or divis | Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. Computer Readable Form (CRF) b. Specification Sequence Listing on: i. CD-ROM or CD-R (2 copies); or ii. paper c. Statements verifying identity of above copies ACCOMPANYING APPLICATION PARTS 9. Assignment Papers (cover sheet & document(s)) 10. (when there is an assignee) Attorney 11. English Translation Document (if applicable) 12. Information Disclosure Copies of iDS Statement (IDS)/PTO-1449 13. Preliminary Amendment 14. Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 15. (criffied Copy of Priority Document(s) (if foreign priority is claimed) 16. Other: | | | | | |
| The incorporation can only be | relied upon when a portion has been inadver | tently omitte | d from the submitted | i is hereby application | incorporati parts. | ted by reference. | | |
| | 18. CORRESPOND | ENCE ADD | RESS | | | | | |
| Customer Number or Bar Co | de Label Unised Costonier No. or Attach be | ar code label h | or [Y | ∫ Corresp | pondence ac | ddress below | | |
| Name | RAJA SINGH | | | | | | | |
| Address | 1155 RENE LEVE 3uite 3500 | FSQUE | = WEST | · | | | | |
| City | MONTREAL | State | 13,1505 | ــا ــ | | 1120 2= | | |
| Country | | State | EM OTH | | p Code | H38 376 | | |
| Country | CANADA Tele | ephone | 514 8710 | 784 | Fax | 514 871.3864 | | |
| Name (Print/Type) | RAJA SINGH TUC | I Reg | istration No. (Atto | rney/Age | ent) | | | |
| Signature | You an la Me | | | Det | e 12< | FPT 2000. | | |

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

PTO/SB/17 (08-00)
Approved for use through 10/31/2002 OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

FEE TRANSMITTAL for FY 2000

Under the Paperwork Reduction Act of 1995, no persons are required to res

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT

| (\$) | 345 | _ |
|------|-----|---|
| (., | | |

| Complete if Known | | | | | | | |
|----------------------|------|-------|------|--|--|--|--|
| Application Number | | | | | | | |
| Filing Date | | | | | | | |
| First Named Inventor | RATA | SINGH | TULI | | | | |
| Examiner Name | | | , | | | | |
| Group Art Unit | | | | | | | |
| Attorney Docket No. | | | | | | | |

| METHOD OF PAYMENT (check one) | FEE CALCULATION (continued) | | | | | |
|---|--|----------|--|--|--|--|
| The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to: Deposit | 3. ADDITIONAL FEES Large Entity Small Entity Fee | Fee Paid | | | | |
| Account Number | Code (\$) Code (\$) 105 130 205 65 Surcharge - late filing fee or oath | | | | | |
| Deposit | | | | | | |
| Name | 127 50 227 25 Surcharge - late provisional filing fee or cover sheet | | | | | |
| Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17 | 139 130 139 130 Non-English specification | | | | | |
| Applicant claims small entity status. | 147 2,520 147 2,520 For filing a request for ex parte reexamination | | | | | |
| See 37 CFR 1.27 | 112 920* 112 920* Requesting publication of SIR prior to Examiner action | | | | | |
| 2. Payment Enclosed: Check Credit card Order Other | 113 1,840* 113 1,840* Requesting publication of SIR after Examiner action | | | | | |
| FEE CALCULATION | 115 110 215 55 Extension for reply within first month | | | | | |
| | 116 380 216 190 Extension for reply within second month | | | | | |
| 1. BASIC FILING FEE | 117 870 217 435 Extension for reply within third month | | | | | |
| Large Entity Small Entity Fee Fee Fee Fee Description | 118 1,360 218 680 Extension for reply within fourth month | | | | | |
| Code (\$) Code (\$) Fee Paid | 128 1,850 228 925 Extension for reply within fifth month | | | | | |
| 101 690 201 345 Utility filing fee 345 | 119 300 219 150 Notice of Appeal | | | | | |
| 106 310 206 155 Design filing fee | 120 300 220 150 Filling a brief in support of an appeal | | | | | |
| 107 480 207 240 Plant filing fee | 121 260 221 130 Request for oral hearing | | | | | |
| 108 690 208 345 Reissue filing fee | 138 1,510 138 1,510 Petition to institute a public use proceeding | | | | | |
| 114 150 214 75 Provisional filing fee | 140 110 240 55 Petition to revive - unavoidable | | | | | |
| SUBTOTAL (1) (\$) 345, | 141 1,210 241 605 Petition to revive - unintentional | | | | | |
| 2. EXTRA CLAIM FEES | 142 1,210 242 605 Utility issue fee (or reissue) | | | | | |
| Fee from Extra Claims below Fee Paid | 143 430 243 215 Design issue fee | | | | | |
| Total Claims 7 -20* = X = Ø | 144 580 244 290 Plant issue fee | | | | | |
| Independent 2 - 3** = X = 0 | 122 130 122 130 Petitions to the Commissioner | | | | | |
| Claims ———————————————————————————————————— | 123 50 123 50 Petitions related to provisional applications | | | | | |
| **or number previously paid, if greater; For Reissues, see below | 126 240 126 240 Submission of Information Disclosure Stmt | | | | | |
| Large Entity Small Entity Fee Fee Fee Fee Description Code (\$) Code (\$) | 581 40 581 40 Recording each patent assignment per property (times number of properties) | | | | | |
| 103 18 203 9 Claims in excess of 20 | 146 690 246 345 Filing a submission after final rejection (37 CFR § 1 129(a)) | | | | | |
| 102 78 202 39 Independent claims in excess of 3 | 149 690 249 345 For each additional invention to be | | | | | |
| 104 260 204 130 Multiple dependent claim, if not paid | examined (37 CFR § 1 129(b)) | | | | | |
| 109 78 209 39 ** Reissue independent claims over original patent | 179 690 279 345 Request for Continued Examination (RCE) | | | | | |
| 110 18 210 9 ** Reissue claims in excess of 20 | 169 900 169 900 Request for expedited examination of a design application | | | | | |
| and over onginal patent | Other fee (specify) | | | | | |
| (0) | Γ | 1 | | | | |
| SUBTOTAL (2) (\$) | *Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) | \$ | | | | |

SUBMITTED BY Registration No. Telephone Name (Pnnt/Type) SMGH Date Signature

> WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

10

15

20

25

30

REMOTE DATA PROTOCOL

BACKGROUND OF THE INVENTION

Field of the Invention

The invention relates to a host computer system or server, which has a web browser running on it, and the display of the web browser is transmitted via modem and received by a cellular phone connected to a PDA device which displays the image. In particular, the Remote Data Protocol of the invention consists of multiple virtual machines which are contained in the server, and each contains a browser which has applications running in them. Multiple clients are represented by software, which sends the display of each virtual machine to the remote PDA device to be displayed, and also relays information back to the virtual machine from the PDA device.

A particular advantage of this method lies in replacing a conventional terminal on a network system with software, which communicates with the PDA device and the server.

Description of the Prior Art

Microsoft Remote Data Protocol uses a main server in which a virtual machine runs multiple applications. Each virtual machine is connected to a dedicated terminal or client, which displays the image of the virtual machine. The advantage of this is to avoid a dedicated computer with application programs for each client, where multiple clients may access applications on a server. All data processing is done in the sever and displayed on terminals, which is a cheaper solution for multiple clients using this Remote Data Protocol. The terminals allow keyboard and mouse commands to be transferred to the server on a network system.

10

15

20

25

SUMMARY OF THE INVENTION

The present invention relates to multiple portable high speed Internet access PDA (Personal Digital Assistant) devices that can access the Internet and World Wide Web as wireless devices, using a RDP (Remote Data Protocol) client and sever system to facilitate multiple PDA users simultaneously on a single server.

A principal embodiment has a Web server connected to the Internet. This server contains a virtual browser that takes the image displayed in the browser and converts this image into a bit map which is compressed, and communicates via telephone lines to a cellular telephone. The cellular telephone is connected to a high speed internet access device commonly referred to as a PDA (Personal Digital Assistant) which is comprised of a display screen, battery and related micro-electronics. This enables the PDA to receive, decompress and view the bit map image sent from the virtual browser, and more importantly, through cellular phone connectivity to be able to input data or commands from the PDA directly onto the server. The host computer or server receives vector information or compressed data in the form of HTML, JPEG, etc., which is displayed on a web page. The virtual browser virtually displays a virtual image on the server. That image, in whole or in parts, is recompressed and sent to the PDA. In particular, the host computer contains an RDP server which has multiple virtual machines contained within, with each virtual machine containing a web browser. Multiple RDP clients interact with the virtual machines with a dedicated virtual machine for each client on the server. Each client is represented by software, which sends the display of the virtual machine to a single remote PDA device via a dedicated modem port. This modem port allows two way communication between a single PDA and a dedicated virtual machine on the server, via a single RDP client. By implementing multiple virtual machines and multiple RDP clients with multiple modem ports, it is now possible to communicate with multiple users of PDA devices on the RDP server to facilitate Internet browsing, electronic message communication, etc. The RDP client relays information received via a modem

15

25

30

port from the PDA, such as mouse clicks or keyboard commands, to the application program in the virtual machine, which is then processed and a refreshed display sent back to the PDA via the same dedicated RDP client and modem port. The browser on a virtual machine relays display information to the dedicated RDP client such as bitmap files, vector files, commands, buffer information, etc. The RDP client then rasterizes some of the information by drawing it into memory and then proceeds to break up this file into smaller blocks of information. These blocks are compressed and sent to the PDA device through a dedicated modem port connected to each RDP client. The PDA would then receive, decompress and assemble the blocks of information in the original order as first received by the RDP client before the RDP client breaks up into smaller blocks. The browser running in each virtual machine rasterizes most of the information which is sent to the RDP client such as text, etc., but the RDP client may have to rasterize other information such as blocks, etc.

The PDA sends specific data to the virtual machine informing of the current location of the displayable area of the PDA screen with respect to the larger image sent from the browser. This is necessary, as the area displayed by the PDA is smaller than the displayable image on the browser window. The RDP client would send compressed blocks of data representing the image to be displayed in order of priority, such that the first blocks sent to and decompressed by the PDA are in the displayable area of the PDA, which is the current area where the user is viewing. The PDA would then decompress blocks surrounding the displayed area in a particular sequence, such as left to right across rows, and store the image in internal memory. The PDA assembles blocks of the image in a virtual page, which comprises the entire image, thus enabling the user to access any part of the present image without communicating constantly with the RDP client. Hence, as the user scrolls across the image in any direction, the blocks of data comprising the image would already be decompressed and assembled priority-wise for instant viewing. Blocks of the image in closer proximity to the displayed area of the PDA screen get decompressed and stored

10

15

20

25

30

into internal memory on higher priority than blocks further away. The PDA continuously sends its current location to the virtual machine on the server to keep getting refreshed data instantaneously as the location changes by the user scrolling or sending commands. This enables a rapid refresh rate of the displayed image especially when scrolling, as areas surrounding the displayed image would be decompressed and already stored in memory.

A mouse click or any keyboard command is given priority in communication between the PDA and the RDP server. Such actions from the PDA are sent instantaneously, interrupting the current activities and this action directed to the web browser on the dedicated virtual machine, which sends a refreshed image back to the PDA device. This feature allows the user to have rapid response to commands. If the user initiates a mouse click or keyboard command on the PDA that does not change the displayed image on the RDP server, then the original activities are continued almost instantly with minimum interruption. However, if the image is changed and refreshed on the RDP server, any old image being sent is stopped and the new image is sent immediately to the PDA if it is a full screen image occupying all or part of the PDA display screen. If the refreshed image sent occupies a part of the PDA display screen and also areas outside the display screen, then the portion of the refreshed image that is displayed on the PDA display screen is sent first to the PDA, and blocks of the image are sent to the PDA which are decompressed and stored in internal memory, in order of priority closest to the displayed image, as previously described. Hence the PDA would assemble blocks of the image in the virtual page, which comprises the entire image, starting first with the current location of the PDA display screen then areas around it.

A beacon is sent form the PDA device to the RDP client and vice-versa many times per minute to confirm that a connection is established and maintained, for the duration of use. In the instance a user is disconnected, either the PDA or the RDP client will not receive a beacon and a time-out will be

initiated, whereby both the PDA and RDP client disconnect and then reconnect. The user would still be able to view the present image and scroll around it as this image would already be decompressed in order of priority and stored in internal memory. The PDA would indicate in a message area that a reconnect sequence was initiated, and the status of this connection to the same RDP client as before, which would refresh the PDA with the image if it has changed once reconnection is established. Similarly, the PDA would continue downloading blocks of information after being reconnected if a disconnection interrupted this operation. A beacon is not necessarily sent from the RDP client at times when it is sending information to the PDA. As long as the PDA is receiving information such as a refreshed image, or a beacon, it knows a connection is established.

Consequently, when there is no new activity in the virtual machine, the RDP client must send a beacon to the PDA to confirm the connection is established. The PDA device must always send beacons to the RDP client, as commands are not sent frequently from the PDA and only for a short duration when sent.

An error protocol is implemented to verify that all information blocks are received and can be decompressed successfully. As previously described, the image displayed in the virtual browser in the virtual machine on the RDP server is broken down into smaller blocks of information and compressed and transmitted to the PDA device. The blocks are then assembled in correct sequence, decompressed and stored in internal memory on the PDA. Each block of information received is acknowledged by the PDA, which sends a signal confirming that each block is successfully received. Hence, the RDP client can monitor the successful decompression of all blocks of information sent to the PDA, and would know when a block is not acknowledged. The RDP client would also inform the PDA of the number of transmitted blocks of information, with each block identified numerically. The PDA also initiates another error protocol when a block of information received can not be successfully decompressed and stored in memory. In this case, the PDA would send an error message to the RDP client informing which block of information needs to be sent again, and the

RDP client would send this block after it has completed sending the current block of information. The RDP client would monitor the acknowledgement of all blocks of information successfully decompressed, including blocks sent again after receiving error messages from the PDA device.

20

25

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is described in more detail below with respect to an illustrative embodiment shown in the accompanying drawings in which:

- Fig. 1 illustrates Prior Art whereby a PDA device is connected to a cellular phone, which communicates wirelessly to a Host Computer.
 - Fig. 2 illustrates Prior Art of a Remote Data Protocol system.
- Fig. 3 illustrates the displayable area of the PDA device with respect to portions of the image, which are sequentially decompressed prior to viewing.
 - Fig. 4 illustrates the Remote Data Protocol of the present invention.
 - **Fig. 5** illustrates a block diagram of the virtual page with respect to the viewing area of the PDA.
 - **Fig. 6** illustrates the error protocol as blocks of information are sent from the RDP client to the PDA device.
 - Fig. 7 illustrates communication methods between remote devices and host computers.
 - **Fig. 8** illustrates a wireless communication method between the PDA and the Host Computer in accordance with another embodiment of the invention.

20

25

30

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

To facilitate description, any numeral identifying an element in one figure will represent the same element in any other figure.

The principal embodiment of the present invention aims to provide a system that allows multiple users operating PDA (Personal Digital Assistant) devices similar to a palm top computer to access the Internet or the World Wide Web (WWW), as demonstrated in **Fig. 4**. It is a further aim of the present invention, to provide a RDP (Remote Data Protocol) client and sever system to facilitate multiple PDA users simultaneously on a single server.

Prior art is disclosed in **Fig. 1** where Microsoft Remote Data Protocol is demonstrated, using a main RDP server **1** in which virtual machines **2** exist capable of running multiple application programs **3**. Each virtual machine **2** is connected to a dedicated terminal **5** or client on a network system **4**, which displays the image of the virtual machine. The terminals **5** on the network allow input of keyboard **6** and mouse **7** commands to the RDP server **1**, with all data processing done on the server and displayed on the terminals. In this method of prior art, the RDP clients are the terminals on the network. In the present invention however, the RDP clients are represented by software which interact between the virtual machines on the RDP server and the PDA devices which display the image of the RDP clients, in a completely different fashion.

A general description of the Prior Art is disclosed in **Fig. 2** with further reference to Patent Applications 09/496,172, 09/501,585, 09/504,809, 09/504,808, and 09/504,807. A host computer **8** is depicted which is connected to the Internet, and that host may also be a Web server. Running in the host computer, is a Web server program **9**. When a remote user **10** requests to view a Web page (or electronic message etc.) the Web server software receives HTML, JAVA, or other types of information and transmits this information to another software, the

15

20

25

Browser Translator 11. This software translates the information, (i.e. the entire image comprising graphics and text) received in the form of HTML, Java, etc. (as information may be gathered from different sources) and translates it to a black and white bit map or raster image. In another embodiment, the software translates the information into a raster or color image. The image contains the information that would normally be displayed on a single Web page. The translation program therefore, also acts as a virtual browser. The cellular telephone 12 of Fig. 2 is connected to the high speed internet access device 13 of the invention commonly referred to as a PDA (Personal Digital Assistant) which is comprised of a display screen 14, battery and related micro-electronics. This enables the PDA to receive, decompress and view the bit map image sent from the virtual browser, and more importantly, through cellular phone connectivity to be able to input data from the PDA directly onto the server 8. In particular, the host computer or server of Fig. 2 and Fig. 4 receives vector information or compressed data in the form of HTML, JPEG, etc., which is displayed on a web page. The virtual browser virtually displays a virtual image on the server by rasterizing the image, or decompressing parts of the image and putting it into memory. That image, in whole or parts, is recompressed and sent to the PDA. The recompressed data format sent to the PDA, is not necessarily in the same format as the compressed data format first received by the server. For example, the incoming data from a Web page may be in the form of JPEG which is decompressed and displayed on the virtual browser. This data is recompressed and sent to the PDA but can be in the form of TIFF G4 or other formats, and not necessarily JPEG as initially received.

Another embodiment of the invention involves the server receiving vector information such as HTML or text and then rasterizing it to bit map format. It can then be shown in memory through the virtual browser and is recompressed through a "loss less" method and sent to the PDA.

15

20

25

30

The information is received by the device 13 in Fig. 2, which has the ability to display a monochrome or color image 15, in its display window 14. The information is decompressed and displayed in the order of priority such that part of the image 17 of Fig. 3, which substantially or completely covers the displayable area 14 of the device, is decompressed and displayed first and then sequentially the portions 18, 19 and 20 of the image are decompressed, and stored in an internal memory of the device to be displayed later when the user scrolls up, down, or sideways to these parts of the image.

A principle embodiment of the present invention of Fig. 4 contains the host computer 21 which contains an RDP server 22 which is a software unit having multiple virtual machines 23 contained within, with each virtual machine containing a web browser 24. Multiple RDP clients 25 interact with the virtual machines with a dedicated virtual machine for each RDP client. Each RDP client 25 is represented by software, which sends the display of each virtual machine 23 to a single remote PDA device 26 via a dedicated modem port 27. Each modem port 27 allows a two-way communication between a single PDA 26, connected to a cellular phone 64, and a dedicated virtual machine 23 on the RDP server, via a single dedicated RDP client 25. By implementing multiple virtual machines and multiple RDP clients with multiple modern ports, it is now possible to communicate with multiple users of PDA devices on the RDP server to facilitate Internet browsing, electronic message communication, etc. The RDP client 25 relays information received from the PDA 26, such as mouse clicks or keyboard commands, via a modem port 27 to the Browser 24 in the virtual machine 23, which is then processed and a refreshed display sent back to the PDA via the same dedicated RDP client and modem port. The browser on each virtual machine relays display information to the dedicated RDP client such as bitmap files, vector files, commands, buffer information, etc. The RDP client then rasterizes some of the information by drawing it into memory and then proceeds to break up this file into smaller blocks of information. These blocks are compressed and sent to the PDA device through a dedicated modem port

15

20

25

30

connected to each RDP client, as further illustrated in **Fig. 5**. The PDA would then receive, decompress and assemble the blocks of information in the original order as first received by the RDP client before the RDP client breaks up into smaller blocks. The browser running in each virtual machine rasterizes most of the information which is sent to the RDP client such as text, etc., but the RDP client may have to rasterize other information such as blocks, etc.

The PDA 26 of Fig. 4 sends specific data to the virtual machine 23 informing of the current location of the displayable area 14 of the PDA screen with respect to the larger image or virtual page 28 sent from the browser to the RDP client then to the PDA, as illustrated in Fig. 5. This is necessary, as the area displayed 14 by the PDA is smaller than the displayable image on the RDP client, referred to as the virtual page 28. The dedicated RDP client would send compressed blocks of data representing the image to be displayed in order of priority, such that the first blocks sent to and decompressed by the PDA are in the displayable area 14 of the PDA, which is the current area where the user is viewing. The PDA would then decompress blocks surrounding the displayed area 14 in a particular sequence, such as left to right across rows, and store the image in internal memory. The PDA assembles blocks of the image in a virtual page 28 stored in the PDA's internal memory, which comprises the entire image, thus enabling the user to access any part of the present image without communicating constantly with the RDP client. Hence, as the user scrolls across the image in any direction, the blocks of data comprising the image would already be decompressed and assembled priority-wise for instant viewing. Blocks of the image in closer proximity to the displayed area of the PDA screen get decompressed and stored into internal memory on higher priority than blocks further away. To explain in detail by referring further to Fig. 5, the image displayed on the PDA screen 14 can be comprised of blocks 48, 49, 50, 53, 54 & 55, which are sent from the RDP client first to the PDA, decompressed and then stored into memory first on the PDA. Then blocks 42, 43, 44, 45, 47, 52, 57, 58, **59 & 60** would be sent immediately after in that order from the RDP client to the

15

20

25

30

PDA, to be decompressed and stored in the PDA's internal memory. This enables a rapid refresh rate of the displayed image especially when scrolling, as areas surrounding the displayed image would be decompressed and already stored in memory. The PDA continuously sends its current location to the RDP client to keep getting refreshed data instantaneously, should the location change by the user scrolling around or outside the virtual page **28**, to enable the RDP client to always have the viewing area and surrounding blocks sent to the PDA.

A mouse click or any keyboard command on the PDA is given priority in communication between the PDA and the RDP server. Such actions from the PDA are sent instantaneously, interrupting the current activities and this action directed to the web browser on the dedicated virtual machine, which sends a refreshed image back to the PDA device through the RDP client. This feature allows the user to have rapid response to commands. If the user initiates a mouse click or keyboard command on the PDA that does not change the displayed image on the RDP server, then the original activities are continued almost instantly with minimum interruption. However, if the image is changed and refreshed on the RDP server, any old image being sent is stopped and the new image is sent immediately to the PDA if it is a full screen image occupying all or part of the PDA display screen. If the refreshed image sent occupies a part of the PDA display screen and also areas outside the display screen, then the portion of the refreshed image that is displayed on the PDA display screen is sent first to the PDA, and blocks of the image surrounding the PDA displayed image are sent next to the PDA which are decompressed and stored in internal memory, as previously described. Hence the PDA would assemble blocks of the image in the virtual page, which comprises the entire image, starting first with the current location of the PDA display screen then areas around it.

A beacon is sent from the PDA device to the RDP client and vice-versa many times per minute to confirm that a connection is established and maintained, for the duration of use. In the instance a user is disconnected, either

10

15

20

25

30

the PDA or the RDP client will not receive a beacon and a time-out will be initiated, whereby both the PDA and RDP client disconnect and then reconnect. The user would still be able to view the present image and scroll around it as this image would already be decompressed in order of priority and stored in internal memory. The PDA would indicate in a message area that a reconnect sequence was initiated, and the status of this connection to the same RDP client as before, which would refresh the PDA with the image if it has changed once reconnection is established. Similarly, the PDA would continue downloading blocks of information after being reconnected if a disconnection interrupted this operation. A beacon is not necessarily sent from the RDP client at times when it is sending information to the PDA. As long as the PDA is receiving information such as a refreshed image, or a beacon, it knows a connection is established. Consequently, when there is no new activity in the virtual machine, the RDP client must send a beacon to the PDA to confirm the connection is established. The PDA device must always send beacons to the RDP client, as commands are not sent frequently from the PDA and only for a short duration when sent.

An error protocol is implemented to verify that all information blocks are received and can be decompressed successfully. As previously described, the image displayed in the virtual browser in the virtual machine on the RDP server is broken down into smaller blocks of information and compressed and transmitted to the PDA device. The blocks are then assembled in correct sequence, decompressed and stored in internal memory on the PDA. Each block of information received is acknowledged by the PDA, which sends a signal confirming that each block is successfully received. Hence, the RDP client can monitor the successful decompression of all blocks of information sent to the PDA, and would know when a block is not acknowledged. The RDP client would also inform the PDA of the number of transmitted blocks of information, with each block identified numerically. The PDA also initiates another error protocol when a block of information received can not be successfully decompressed and stored in memory. In this case, the PDA would send an error message to the

15

20

25

30

RDP client informing which block of information needs to be sent again, and the RDP client would send this block after it has completed sending the current block of information. The RDP client would monitor the acknowledgement of all blocks of information successfully decompressed, including blocks sent again after receiving error messages from the PDA device. To illustrate this further, reference is made to Fig. 6 which shows a string of data blocks 61 to be sent from the RDP client to the PDA device. As the PDA receives the data blocks acknowledgements or error messages 62 are sent back to the RDP client. Since the RDP client responds to all data from the PDA, the string of data blocks actually sent from the RDP client to the PDA is represented by 63. To further explain the events of the RDP client 63, blocks 31, 32, 33 & 34 are sent in this order from the RDP client to the PDA, with successful acknowledgements ack31 & ack32 sent from the PDA to the RDP client, but whilst block 34 is being sent, an error message in block 33 is relayed from the PDA, resulting in the RDP client sending this block 33 again as soon as block 34 is sent. The RDP client resumes sending blocks 35, 36 and 37, but notices no acknowledgement for block 35 after receiving successful acknowledgements ack34 & ack36 sent from the PDA, which results in the RDP client sending block 35 after block 37 is sent. The RDP client may also respond faster or slower to acknowledgements or error messages as described above.

The current embodiment as illustrated in **Fig. 7** teaches of a standard serial connection **66** between the PDA device **13** and a cellular phone **12**, with an AT command set for communicating between modems. This allows the cellular phone **12** to act as a modem in communicating with another modem **65** attached to the host computer **8**. Web pages **67** received from the Internet are converted to G4 files **68** then sent via modem to the PDA device.

For a different type of cellular phone that does not allow AT command set communication but provides a TCPIP Internet connection, another embodiment of the invention is disclosed, as illustrated in **Fig. 8**. The PDA device would

10

15

contain a browser to be able to view images sent by the host computer, which may be connected to the Internet. In this case, the PDA device 13 would contain a mini-browser, which understands and is capable of translating compressed G4 images. The PDA is connected to a cellular phone 12, which is connected to an Internet Service Provider (providing standard Internet services) instead of a modem at the Host Computer. The Host Computer is connected to the Internet and translates all web pages 67 to G4 compressed files 69. These G4 compressed files 69 are sent to the PDA in Internet protocol via the Internet Service Provider, and the mini-browser in the PDA is capable of translating the received images, and displaying on the PDA screen. Hence, the Host Computer has Internet images coming in and also Internet images being sent out. The Internet Service Provider (ISP) that the PDA connects to would always log on to one web page, and when the user at the PDA wants to go to a link or to a different web page, the click or the information is sent through the ISP to the host computer which will load the new page. This allows multiple users to dial up the Internet Service Provider to be able to view web pages from the Internet as desired, in this manner.

25

30

CLAIMS

I claim:

5

- 1. A host computer which contains a server comprising software, in which multiple virtual machines each comprising software contains a web browser, whereby each virtual machine communicates with a dedicated client comprising another software which converts information received to a raster image, which is compressed and sent in a specific order to a dedicated modem port.
- 2. A portable display device remotely connected which communicates with a dedicated client, receives compressed files from the host computer, and displays decompressed said files stored into internal memory in the specific order sent.
- 3. A device as claimed in Claims 1 and 2 whereby the display area of the portable device is smaller than the decompressed images stored in internal memory, such that the location of the display area is relayed to the client which sends compressed images in this area first then surrounding areas after.
 - 4. A device as claimed in Claims 1 and 2 whereby a mouse click or keyboard command from the portable display device is relayed immediately to the client, which sends a new image from the web browser to the portable display device if required, otherwise original activities are resumed.
 - 5. A device as claimed in Claims 1 and 2 whereby beacons are relayed between the portable display device and the client to confirm a telephone connection is established, such that a beacon not received is interpreted as a disconnection and a reconnection sequence to the same client is initiated.
 - 6. A device as claimed in Claims 1 and 2 whereby an error protocol verifies all files sent from the client to the portable display device are successfully received, decompressed and acknowledged by the portable display device

10

such that any files containing errors or files not received are sent again and placed in the corrected location.

7. A host computer which contains a server comprising software, in which multiple virtual machines each comprising software contains a web browser, whereby each virtual machine communicates with a dedicated client comprising another software which converts information received to a raster image, which is compressed and sent over the Internet to be viewed by a portable device comprising a display screen and related micro-electronics which can log on to the host computer and is able to decompress that image and display it on the display screen.

10

15

20

ABSTRACT

The present invention aims to provide a system that allows multiple users operating a PDA (Personal Digital Assistant) to access the Internet or the World Wide Web (WWW), and to be able to view and interact with these images remotely on a display screen. It is a further aim to provide a RDP (Remote Data Protocol) client and sever system to facilitate multiple PDA users simultaneously on a single server. The host computer contains an RDP server which has multiple virtual machines contained within, with each virtual machine containing a web browser. Multiple RDP clients interact with the virtual machines with a dedicated virtual machine for each client on the server. Each client is represented by software, which sends the display of the virtual machine to a single remote PDA device via a dedicated modem port. This modem port allows two way communication between a single PDA and a dedicated virtual machine on the server, via a single RDP client. By implementing multiple virtual machines and multiple RDP clients with multiple modem ports, it is now possible to communicate with multiple users of PDA devices on the RDP. The RDP client relays information received via a modem port from the PDA, such as mouse clicks or keyboard commands, to the application program in the virtual machine, which is then processed and a refreshed display sent back to the PDA via the same dedicated RDP client and modem port.






Fig. 1



PRIOR ART

Fig. 2



PRIOR ART

Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

PTO/SB/01 (12-97)
Approved for use through 9/30/00 OMB 0651-0032
Patent and Trademark Office, U S DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

| a valid OMB control numb | er. | | | | _ | | | |
|--|--|-------------------------------------|--|--|------|--|--|--|
| DEGLADATION | COD LITTLETY OF | Attorney Dock | Attorney Docket Number | | | | | |
| | FOR UTILITY OF SIGN | First Named In | ventor | | | | | |
| | PPLICATION | C | COMPLETE IF KNOWN | | | | | |
| | R 1.63) | Application Nur | | / | | | | |
| _ | , | Filing Date | | | | | | |
| ☐ Declaration Submitted OR | Declaration Submitted after Initia | | | e de la decembra de la compansa de l | | | | |
| with Initial Filing | Filing (surcharge (37 CFR 1.16 (e)) required) | Examiner Name | е | | | | | |
| | | | | | | | | |
| As a below named inven | tor, I hereby declare that: | | | | | | | |
| My residence, post office a | address, and citizenship are as | stated below next to my r | name | | | | | |
| | | | | st and joint invento r (if plural | | | | |
| | the subject matter which is cla | <u> </u> | ent is sought on t | the invention entitled. | | | | |
| REMOTE | DATA PA | ROTOCOL | | | | | | |
| the specification of which | | of the Invention) | | | | | | |
| is attached hereto OR | · | • | | | | | | |
| was filed on (MM/D | IDMYYY) | as Unite | ed States Applica | ation Number or PCT Internationa | al | | | |
| Application Number | and wa | s amended on (MM/DD/Y | | (if applicable | ole) | | | |
| | eviewed and understand the co | intents of the above identit | · —— | | , | | | |
| | ent specifically referred to above disclose information which is ma | | defined in 37 CEF | 2 1 56 | | | | |
| Taomonoago mo daty to d | ISOSSE MICHIGANICA WHICH IS ME | stories to pateritability as t | lenned in 37 Ci i | (1 30 | | | | |
| I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's cer tificate, or of any PCT international application having a filing date before that of the application on which priority is claimed. | | | | | | | | |
| Prior Foreign Application Number(s) | Country | Foreign Filing Date (MM/DD/YYYY) | Priority Not Claimed | Certified Copy Attached? YES NO | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto | | | | | | | | |
| I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below. | | | | | | | | |
| Application Number | (s) Filing Date | (MM/DD/YYYY) | _ | | | | | |
| | | | Additional provisional application numbers are listed on a | | | | | |
| | | | suppl | supplemental priority data sheet | | | | |
| | | | P10/ | /SB/02B attached hereto. | | | | |

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

| Please type a plus sign (+) inside this box | > | \blacksquare |
|---|---|----------------|
|---|---|----------------|

PTO/SB/01 (12-97)
s sign (+) inside this box

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMR control number.

DECLARATION — Utility or Design Patent Application

| I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application. In the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disc losed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the original to patentability as defined in 37 CFR 1.56 which became available between the filing date of the and the national or PCT international filing date of this application. | | | | | | | | | | | | |
|---|---------------------------------|---|-------------|--------------------------|-----------------|----------------|------------|----------------------|-------------|--------------|---------------------------|--|
| U. | S. Pare | ent Applicati Numb | | PCT Parent | ſ | | | ling Date)/YYYY) | | | t Patent N f applicat | |
| Number | | | | | | | | | | | • | |
| Additional | US or F | PCT international | application | on numbers are | listed on a | supple | emental p | oriority data sh | neet PTO/ | SB/02B | attached h | ereto |
| | | ereby appoint the | | | | to pros | secute thi | is application a | and to trai | nsact al | | in the Patent |
| and Haueman | Office to | nnected therewiti | | Customer Numl OR | ber | | | | | | Place Custo Number Bar | |
| | | | | Registered prac | | name/r | egistratio | on number liste | ed below | | Label he | ere |
| | Nam | ıe | | Regist Num | tration nber | | | Nam | ie | | Registration Number | |
| | | | | 13/22 | ipe: | | | | | | | ilibei |
| | | | | | | ļ | | | | | | |
| Additional r | terer | ' strianar(e) n | ad on | | | ~ ~*i*i | - Info | - "== chool | - TO (SD) | | 115 | |
| | | d practitioner(s) n | | | (egistereu | Pracuu | oner inio | rmation sneed | PIU/SD/ | 02C au | ached ner e | eto |
| Direct all corr | espona | | | ner Number Code Label | | | | OR | Cor | rrespon | ndence add | ress below |
| Name | Name RAJA SINGA TULI | | | | | | | | | | | |
| Address | Address 1155 RENE LEVESQUE WEST | | | | | | | | | | | |
| Address | | WITE ! | <u>350</u> | <u> </u> | | | | ····· | <u>-</u> | | | |
| City | <u> </u> | MONTRI | <u>EAL</u> | o# | | | tuto | QUEBEC | ZIP | 143 | 3B 3 | T6 |
| Country | | CANA. | DA | Telephon | 1e 5% | 48710984 Fax 5 | | | 514 | 514 871 3864 | | |
| believed to be punishable by f | true; and fine or im | I statements mad I further that the oprisonment, or to t issued thereon. | ese stater | ments were ma | ade with the | e know | ledge that | at willful false | statemer | nts and | the like si | b elief are to made are idity of the |
| Name of So | ole or f | irst Invento | r:] | | | | ع petitio | n has been | filed for | this un | signed inve | entor |
| Gi | ven Nar | me (first and m | iddle [if | any]) | | \prod | | Family | v Name o | or Surn | ame | |
| | RA | 1JA | <u> </u> | INGH | | 7461 | | | | | | |
| Inventor's Signature | | X. | 41 | 11/1 | | | | | | Date | 28⊊1/so | |
| Residence: C | ity | MONT | • | : | RHEBEC | <u>ာ</u> င | ountry | CAN | (ADA | | Citizenship | CAN . |
| Post Office Ad | ldress | 1155 | > R | ENE 1 | LEVE | <u> </u> | ×μE | WES | Ţ | | | |
| Post Office Ad | ddress | <u>SU17</u> | TE . | 3500 | | | | | | | | |
| City | | MONTREAL | State | QUEBEC | ZIP | H | 13B. | 376 | Count | try | CANIA | 24 |
| □Additional | invento | rs are being na | amed or | n the sur | pplement | al Add | litional l | nventor(s) s | sheet(s) I | PTO/SE | B/02A attac | hed hereto |